


58 F



1958 Ford Car and Truck

SPECIAL SERVICE TOOLS

FORD DIVISION • Ford Motor Company

Foreword

The tools described on the following pages are especially designed by the Ford Division Service Department to help you to do specific jobs easier, faster and better — and at a minimum of tool expense. The use of a press is incorporated in many instances to make possible a simpler, more inexpensive tool. Where practical, tools are made from a tough aluminum alloy to reduce weight.

In designing Ford special service tools, prototypes and test units are used. These are disassembled and assembled as completely as possible with standard mechanics' tools. When, during disassembly or assembly, a point is reached where a special tool becomes necessary, or will obviously save a great deal of time, the Service Department designs the tool, has it made up, and tests it thoroughly before it is recommended.

Use of the recommended special service tools, therefore, will make money for your shop, for your mechanics, and will help further to improve the quality of the service shop work.

FORD

SPECIAL SERVICE TOOLS CATALOG

General Information

This catalog supersedes the Ford Passenger Car and Truck Special Service Tools Catalog, Form FD-7382, dated July 1956. It incorporates tools shown in previous catalogs plus other recently released Ford special service tools.

For quick reference all tools are listed numerically under the following groups: Front End, Rear Axle, Engine, Transmission, Power Steering, Select-Aire Conditioner and Miscellaneous.

Tool part number prefixes identify the tool. The first letter (T) identifies the item as a tool. The next two numbers identify the year that the tool came into use. The final letter of the prefix identifies the usage. The letter (P) indicates that the tool is used on the car. The letter (T) indicates truck usage. The letter (L) indicates that the tool is used on both cars and trucks, and the letter (S) indicates special usage. Unless otherwise indicated, car model application includes the Thunderbird.

To expedite handling of orders for Ford Special service tools, Ford Dealers are requested to order on Forms FD-419-L and forward direct to Ford Division of Ford Motor Company, Central Parts Depot, P.O. Box 2005, Livonia, Michigan. (See sample on next page.)

Fleet owners and independent garages may order these special service tools from their local Ford Dealer.

Ford Division reserves the right to make changes in design, material, specifications and prices without obligation.

QUICK REFERENCE INDEX

Tools	Page No.
Front End	1
Rear Axle	5
Engine	15
Transmission	27
Power Steering	31
Miscellaneous	32

Important

Illustrated below is a sample copy, correctly filled in, of Form FD-419-L which should be used for ordering Ford Special Service Tools direct from Central Parts Depot, since they are classified "C".

To insure prompt service, please follow the simple rules as outlined below.

IMPORTANT: ALL ITEMS INDICATED BY A ★ OR AN ARROW ON FORM FD-419-L MUST BE COMPLETELY AND ACCURATELY FILLED IN AND MAILED IN THE ENVELOPE FURNISHED, FORM FD-8162, TO INSURE PROMPT AND EFFICIENT SERVICE ON INACTIVE PARTS ORDERS.

SPECIAL SERVICE TOOLS MAY ALSO BE ORDERED BY WIRE AND TELEPHONE.

Mail Address	Wire	Telephone
Ford Division of Ford Motor Company Central Parts Depot P.O. Box 2005 Livonia, Michigan	Ford Division of Ford Motor Company Central Parts Depot Inactive Sales Order Department 29500 Plymouth Road WU X Detroit, Michigan	KEnwood 3-2000 Extension 6541 or 6542

**DEALER: PLEASE USE TYPEWRITER
SET FOR DOUBLE SPACING.**

FOLLOW DETAILED INSTRUCTIONS ON
FACE OF COPY 7
DEALER'S ORDER—INVOICE FOR B AND C PARTS

AFTER TYPING REMOVE COPY 7 AND CARBON. MAIL REMAINDER OF SET TO APPLICABLE PARTS DEPOT IN SPECIAL-LY PREPARED ENVELOPE—FD-8162.

B AND C PARTS		FORD DIVISION Ford Motor Company						
DEALER'S ORDER NUMBER 0000-53		CENTRAL PARTS DEPOT 29500 PLYMOUTH ROAD P. O. BOX 2005, LIVONIA, MICHIGAN						
SOLD TO: HOMETOWN MOTORS DEALER'S NAME		SHIP TO (IF OTHER THAN "SOLD TO") ★ NAME Do not fill in this section unless shipping to other than address shown in STREET ADDRESS						
1234 EVITCANI STREET STREET ADDRESS		P. P. ZONE						
HOMETOWN CITY		12 ZONE	U.S.A. STATE	"Sold To" section.				
INV. NO.	ROUTE:	P. P. CHARGES	★ HOW TO SHIP: TRUCK	OPEN	C. O. D.	MH NET	PRICES VERIFIED	COMPUTED BY
CLASSIFICATION	TRAFFIC & PACKING CODE	(★) UNIT EA. GAL. ROLL, ETC.	(★) B OR C PART NUMBER T58L-101-A	QUANTITIES				MDSE. DIV. AND TAX STATUS
			(★) ORDERED	UNSHIPPED SEE CODE	AVAILABLE	SHIPPED	DEALER NET UNIT SELLING PRICE	
1. Form 419-L Invoices should be typewritten, or printed with ballpoint pen.			1					
2. Do not abbreviate names of cities, towns, or states.								
3. Make certain that dealer's name, street address, city, zone, and state are listed in proper sequence.								
4. Combine as many orders as possible on one 419-L invoice. List all part numbers in strict numerical sequence.								
5. Do not list reference notations between items ordered, instead make any reference notations, if necessary, in the lower portion of the invoice.								
6. Completeness, accuracy, and legibility of all information shown will expedite processing.								
7. Please review each invoice before mailing.								
J. A. JONES DEALER SIGNATURE 8-1-57	PICKER'S NO. _____	PACKER'S NO. _____					SUB TOTAL	
DATE SHIPPED:						TOTAL		

2-SHIPPING LOCATION ACCOUNTING COPY

4 - PACKING SLIP COPY

6-ACCOUNTING FOLLOW UP COPY

7 - DEALER: Remove this copy (and corresponding carbon). Mail remainder of set to applicable Parts Depot.


Ford Special Service Tools Catalog

FRONT END

FRONT WHEEL GREASE RETAINER REPLACER

Part Number T53T-1190-A

MODEL APPLICATION: 1953-58 C-750, C-800,
F-800.




Part Number T53T-1190-B (Shown)

MODEL APPLICATION: 1953-58 T-800, C-900,
F-900, T-900, F-1000, C-1000, F-1100, C-1100.

FRONT HUB BEARING CUP AND GREASE SEAL REPLACER

Part Number T56P-1217-A


MODEL APPLICATION: All 1955-58 Ford Cars.



HUB BEARING CUP REPLACER KIT (INNER AND OUTER)

Part Number T53T-1239-A (Shown)

MODEL APPLICATION: 1953-58 F-250, F-350,
P-350, F-600, T-700 (Rear); C-750, F-800,
B-800, C-800 (Front), F-900, T-900, F-1000,
C-1000, F-1100, C-1100 (Front and Rear) when
used as specified.



Part Number T53T-1239-A Details 15, 16, 17 and 18
Used with Tool T53T-1239-A.

MODEL APPLICATION: Detail No. 15: Feb. 1954
through 1958 T-700 Rear Inner.

1955 T-800 Front Inner (H.D.)
Front and Rear Bearing Cups.

1958 F-900, C-900, T-900, F-1000, C-1000,
[F-1100, C-1100] Front Inner.

Detail No. 16: 1958 F-600 Rear Outer.

Feb. 1954 through 1958 T-700 Rear Outer.

Detail No. 17: 1954 P-350 Rear Inner.

Feb. 1954 through 1958 F-350 Rear Outer.

Detail No. 18: 1954 P-350 Rear Outer.
1955-56 P-350 Rear Inner and Outer.
1956 F-250 Rear Inner and Outer.

Part Number T53T-1239-A19

MODEL APPLICATION: 1953-58 Series F-350
(Inner) 1953-55 (Inner) When used with
T53L-200-A.


Ford Special Service Tools Catalog

FRONT END

SPINDLE BALL JOINT ASSEMBLY REMOVER PRESS

Part Number T54P-3006-B

MODEL APPLICATION: 1954-56 Ford Cars and
1957 Thunderbird.



Part Number T57P-3006-A (Shown)

MODEL APPLICATION: 1957 Ford Cars except
Thunderbird. 1958 Ford Cars.


FRONT SUSPENSION UPPER AND LOWER ARM OVERHAUL TOOL KIT

Part Number T54P-3044-A

MODEL APPLICATION: 1954-57 Ford Cars (see
T54P-3044-A13). 1958 Thunderbird.
1958 Ford Cars Lower Arm Only.

The following service parts are available.

- T54P-3044-A5 Remover (upper arm bushing).
- T54P-3044-A6 Support.
- T54P-3044-A7 Adapter, for lower arm bushing (front and rear).
- T54P-3044-A8 Adapter, for upper arm front bushing.
- T54P-3044-A9 Adapter, for upper arm rear bushing.



T54P-3044-A10 Remover.

T54P-3044-A12 Support Ring.


T54P-3044-A13 Remover. (See Below)

FRONT SUSPENSION UPPER AND LOWER ARM OVERHAUL TOOL KIT

Part Number T54P-3044-A13

(For lower arm bushings, Use with T54P-3044-A).

MODEL APPLICATION: 1954-56 Ford Cars and
1957 Thunderbird. 1958 Ford Cars.




FRONT SUSPENSION LOWER ARM SUPPORT

Part Number T57P-3044-A

(Use with T54P-3044-A).

MODEL APPLICATION: 1957 Ford Cars except
Thunderbird.



Ford Special Service Tools Catalog

FRONT END

FRONT SUSPENSION UPPER ARM SHAFT MOUNTING TORQUE WRENCH ADAPTER

Part Number T58P-3047-A

MODEL APPLICATION: 1958 Ford Cars.



FRONT SPINDLE BUSHING REMOVER AND REPLACER

Part Number T53T-3110-A (Shown)

MODEL APPLICATION: 1953-58 F-100 and F-250.

The following service part is available for the above tool:

T53T-3110-A2 Pilot Bushing



Part Number T53T-3110-C

MODEL APPLICATION: 1953-58 Series C-750, C-800, F-800.

The following service parts are available for the above tool:


T53T-3110-C2 Pilot Bushing

T53T-3110-C3 Driving Cap

FRONT WHEEL SPINDLE BUSHING REAMER

Part Number T53T-3110-D (Shown)

MODEL APPLICATION: 1953-58 F-100 and F-250.



Part Number T53T-3110-H

MODEL APPLICATION: 1953-58 T-750, T-800, F-900, C-900.

Part Number T53T-3110-E

MODEL APPLICATION: 1953-58 F-350 and P-350.

Part Number T53T-3110-F

MODEL APPLICATION: 1953-58 C-750, C-800, F-800.

Part Number T56T-3110-K

MODEL APPLICATION: 1955-58 T-800 with 11,000 lb. Front Axle. 1958 T-900, C-1100.

Ford Special Service Tools Catalog


FRONT END

FRONT SPINDLE BOLT AND BUSHING REMOVER AND REPLACER

Part Number T53T-3110-G

MODEL APPLICATION: 1953-56 T-800, T-750 (Standard and H.D.) F-900, C-900. Screw Shaft and Bearing Assembly Used with T56T-3110-J and T58-T-3110-A.

Detail 7: 1957-58 5-Speed Spicer Extra Heavy Duty Transmission. Remove Countershaft Driven Gear. 1957-58 5-Speed New Process Medium Duty Transmission. Remove Countershaft Driven Gear.



FRONT SPINDLE BUSHING REMOVER AND REPLACER ADAPTER

Part Number T56T-3110-J
(Used with Tool T53T-3110-G)


MODEL APPLICATION: 1955-58 Series T-800 with 11,000 lb. Front Axle. 1958 T-900, C-1100. Driving Cap Also Used on 1958 15,000 lb. Front Axle.



SECTOR SHAFT BUSHING AND WORM GEAR BEARING CUP REPLACER

Part Number T58L-3548-A


MODEL APPLICATION: 1958 Cars.



STEERING GEAR LOWER WORM BEARING CUP REPLACER

Part Number T52L-3552-CAD


MODEL APPLICATION: 1952-57 Ford Cars.



STEERING GEAR LOWER WORM BEARING CUP REMOVER

Part Number T52P-3552-FAD


MODEL APPLICATION: 1952-57 Ford Cars.



STEERING GEAR SECTOR SHAFT BEARING REPLACER

Part Number T52L-3576-AAD

MODEL APPLICATION: 1952 through October 1956 Ford Cars.



Ford Special Service Tools Catalog

FRONT END

STEERING GEAR SECTOR SHAFT BEARING REMOVER

Part Number T52L-3576-BAD

MODEL APPLICATION: 1952 through October
1956 Ford Cars.



STEERING GEAR HOUSING BEARING AND OIL SEAL REMOVER

Part Number T56P-3576-A

MODEL APPLICATION: October 1956 through
1957 Ford Cars.




Part Number T58L-3576-A

MODEL APPLICATION: Recirculating Ball Steering Gear.

SECTOR SHAFT BUSHING REMOVER AND REPLACER

Part Number T57T-3576-A


MODEL APPLICATION: Tilt Cab Steering Gear.



STEERING GEAR HOUSING BEARING AND OIL SEAL REPLACER

Part Number T56P-3576-B
(Use with T53L-200-A)

MODEL APPLICATION: October 1956 through
1957 Ford Cars.




REAR AXLE

REAR WHEEL GREASE RETAINER REPLACER

Part Number T53T-1175-A (Shown)

MODEL APPLICATION: 1953-58 F-500. 1953 to
February 1954 F-600 and T-700.



Part Number T53T-1175-B

MODEL APPLICATION: 1953-58 F-350.

Part Number T53T-1175-D

MODEL APPLICATION: 1953-58 F-250, P-350.
1955-58 T-800—Replace Pinion Seal.

Part Number T53T-1175-E

MODEL APPLICATION: 1953-58 F-900.
F-1000, C-1000, F-1100, C-1100.


Ford Special Service Tools Catalog

REAR AXLE

REAR WHEEL GREASE RETAINER REPLACER

Part Number T54T-1175-E


MODEL APPLICATION: February 8, 1954 through
1958 F-600, B-600, C-600 and T-700.
1954 to February 1955 T-800 Heavy Duty
Front Axle Hub Grease Retainer.



REAR WHEEL HUB BEARING CUP REPLACER (INNER)

Part Number T53T-1243-A

MODEL APPLICATION: 1953-55 F-350.



PARKING BRAKE CABLE RETAINER TO REAR BACKING PLATE REPLACER

Part Number T52L-2275-AAD


MODEL APPLICATION: 1952-58 Ford Cars.



PINION DEPTH GAUGE

Part Number T56T-4020-A
(Use with Dial Indicator)


MODEL APPLICATION: 1955-56 F-250, P-350
Spicer Rear Axle.
1949-56 Station Wagon and F-100.
1955-56 Thunderbird.



DIFFERENTIAL BEARING ADJUSTER WRENCH

Part Number T57L-4067-A

MODEL APPLICATION: 1957-58 Cars and F-100.



Ford Special Service Tools Catalog

REAR AXLE

DIFFERENTIAL BEARING ASSEMBLY REMOVER

Part Number T57L-4220-A

MODEL APPLICATION: 1957-58 Cars and F-100.
(Also applicable to 1955 and prior).




DIFFERENTIAL SIDE BEARING CONE REPLACER

Part Number T53T-4221-A (Shown)

MODEL APPLICATION: 1953-54 F-250, P-350.

Part Number T53T-4221-B

MODEL APPLICATION: 1953-55 F-600, B-600,
C-600, Single Speed Rear Axle.



Part Number T53T-4221-C

MODEL APPLICATION: 1953-55 F-350, 1955 and
1956 F-250 and P-350.

Part Number T56T-4221-A

MODEL APPLICATION: F-350.

Part Number T57L-4221-A

MODEL APPLICATION: 1957-58 Cars and F-100.

Part Number T53T-4242-E

MODEL APPLICATION: 1953-58 F-500, B-500,
C-500, P-500 Except 1956-58 Models with
8-Cyl. Engines.

Part Number T56T-4242-A

MODEL APPLICATION: 1956-58 F-700, B-700,
C-700 and C-750.

Part Number T56T-4242-B

MODEL APPLICATION: F-500, B-500, C-500,
P-500.


DIFFERENTIAL SIDE BEARING CUP REMOVER

Part Number T53T-4222-A

MODEL APPLICATION: 1953-54 F-250, P-350 and
F-350. 1955 F-350.

The following service parts are available for the
above tool:

T53T-4222-A4 & 5 Fingers
T53T-4222-A6 Pin
T53T-4222-A7 Bar
T53T-4222-A9 Sleeve




Ford Special Service Tools Catalog

REAR AXLE

DIFFERENTIAL SIDE BEARING CUP REPLACER (L.H.)

Part Number T53T-4242-B

MODEL APPLICATION: 1953 through 1954 F-250, P-350. 1956-58 F-500, B-500, C-500, P-500 with 8-Cyl. Engine. 1958 T-900, F-1000, C-1000, F-1100, C-1100. Replace Front Wheel Outer Bearing Cup.



DIFFERENTIAL SIDE BEARING CUP (R.H.) AND HUB OUTER BEARING CUP REPLACER

Part Number T53T-4242-A (Shown)

1953-55 F-350 (Rear Hub Outer Cup Only).

MODEL APPLICATION: 1953-54 F-250, P-350.

DIFFERENTIAL AND PINION BEARING CONE REMOVER KIT

Part Number T53T-4242-F


MODEL APPLICATION: 1953-56 F-250, F-350, F-500, F-600 Except 56 Models F-500, B-500, C-500, P-500 with 8-Cyl. Engine. F-250 Differential Bearing Cones. F-350 Pinion Bearing Cones. F-500 Differential and F-600 Pinion Bearing Cones.

Detail No. 6: 1957-58 5-Speed Extra Heavy Duty Spicer Transmission. Remove Main Shaft Bearing.

Detail No. 9: Remove Coupling Shaft Support Bearing 1956-58 F-700 through F-900 Except F-800 equipped with Auxiliary Transmission.

Detail No. 11: Remove the Input Shaft Bearing, 1957-58 Car Standard Transmissions.

Detail No. 9: Remove Coupling Shaft Support Bearing. 1957-58 F-700 and F-900.




The following service parts are available for the above tool.

T53T-4242-F1	Jack screw
T53T-4242-F2	Short bolt
T53T-4242-F3	Crossbar
T53T-4242-F5	Cam
T53T-4242-F6	Horseshoe
T53T-4242-F7	Adapter
T53T-4242-F8	Long bolt
T53T-4242-F9	Horseshoe
T53T-4242-F10	Adapter
T53T-4242-F11	Horseshoe

PINION BEARING CONE REPLACER ADAPTER (OUTER)

Part Number T53T-4261-A
(Use with T53T-4851-B)

MODEL APPLICATION: 1953-54 F-250, P-350.




Ford Special Service Tools Catalog

REAR AXLE

PINION DEPTH GAUGE ADAPTER RINGS

Part Number T56P-4610-A

MODEL APPLICATION: 1956 Ford Cars.




DRIVE PINION AND DRIVE PINION RETAINER ASSEMBLY SUPPORT

Part Number T57L-4614-A

MODEL APPLICATION: 1957-58 Cars and F-100.

Plus Universal Application.



PINION BEARING CUP REPLACER (INNER AND OUTER)


Part Number T53T-4616-A

MODEL APPLICATION: 1953-54 F-350, P-350.

The following service parts are available for the above tool:

T53T-4616-A3 Replacer

T53T-4616-A4 Spacer



PINION BEARING CUP REPLACER (INNER AND OUTER)


Part Number T53T-4616-B

MODEL APPLICATION: 1953-58

F-350 (Inner Cup Only). 1955 F-500, B-500, C-500, P-500. 1956 F-500, B-500, C-500, P-500 (Outer Cup Only).

Part Number T53T-4616-C (Shown)

MODEL APPLICATION: 1953-58 F-600, B-600, C-600 Single Speed Rear Axle. 1953-56 F-500, B-500, C-500, P-500. (Inner Cup Only on 1958 Models with 8-Cyl. Engine).



Part Number T53T-4616-D


MODEL APPLICATION: 1953-56 Series F-350 (Outer Cup Only).

PINION BEARING CUP REMOVER (INNER AND OUTER)

Part Number T53T-4616-E

MODEL APPLICATION: 1953-56

F-500, C-500, B-500, P-500, F-600, B-600, C-600, F-350 (Outer On'y). 1956-58 F-250, P-350 (Inner Cup Only). 1957 Remove Supercharger Carrier and Scroll Cups.



Ford Special Service Tools Catalog

REAR AXLE

DRIVE PINION BEARING CUP REMOVER AND REPLACER

Part Number T55P-4616-A (Shown)
(See T55P-4616-A4)

MODEL APPLICATION: 1955-56 Ford Cars.



PINION BEARING OUTER CUP REMOVER ADAPTER

Part Number T55P-4616-A4
(See T55P-4616-A)


1955-56 F-250, P-350 (Use Detail No. 4 to Remove Front Cup).

MODEL APPLICATION: 1955-56 Ford Cars.

DRIVE PINION BEARING CUP REPLACER ADAPTERS

Part Number T56T-4616-A

MODEL APPLICATION: 1955-58 Ford F-250 and P-350 (Spicer Axle) (Used With Tool T53T-1239-A).



DRIVE PINION BEARING CUP REMOVER AND REPLACER


Part Number T56T-4616-B (Shown)

MODEL APPLICATION: 1956-58 F-700, C-700, B-700, F-750, B-750, C-750, F-800, C-800, F-900, T-900.

Part Number T57L-4616-A

MODEL APPLICATION: 1957-58 Ford Cars and F-100.

Detail No. 2: Used to Replace Tilt Cab Steering Shaft Lower Bearing Cup.




PINION BEARING CUP REMOVER (OUTER)

Part Number T53T-4621-A

MODEL APPLICATION: 1953-54 F-250, P-350.

The following service part is available for the above tool:

T53T-4621-A1 Support bar




Ford Special Service Tools Catalog

REAR AXLE

PINION BEARING CONE REPLACER (FRONT AND REAR)

Part Number T53T-4621-B

MODEL APPLICATION: 1953-56 Station Wagon, Thunderbird, F-100 and F-350. 1955-58 F-250, P-350. 1956 F-700, B-700, C-700, C-750 (To Replace Pinion Pilot Bearing). 1957-58 Replaces 3-Speed Car Transmission Mainshaft and Output Shaft Bearing. Replaces Overdrive Mainshaft Bearing on Thunderbird. Replaces Mainshaft Bearing on 3-Speed Medium-Duty Transmission. Replace Cross Shaft Bearing Cup.



Installs Input Shaft Bearing on 3-Speed Standard and Overdrive Car Transmission.

Part Number T53T-4621-C

MODEL APPLICATION: 1953-58 P-350. Series 500 and 600 (All Models). 1953-58 F-250 (Rear). 1956-58 F-700, B-700, C-700, C-750. 1957-58

Part Number T57L-4621-B (Shown)

MODEL APPLICATION: 1957-58 Ford Cars and F-100.

DRIVE PINION REAR BEARING CONE REMOVER

Part Number T57L-4621-A


MODEL APPLICATION: 1957-58 3-Speed Standard and Overdrive Transmission. Remove Output Shaft Bearing and Main Shaft Bearing. 1958 Fuller Transmission. Remove Mainshaft Spacer Sleeve.



PINION PILOT BEARING REMOVER

Part Number T53T-4625-A

MODEL APPLICATION: 1953-58 F-500, B-500, C-500, P-500. 1956-58 F-600 All Models.



PINION PILOT BEARING REMOVER

Part Number T54T-4625-B1

(See T54T-4625-B2)

MODEL APPLICATION: 1954-58 T-800 Forward Rear Axle, 1956-58 F-700, B-700, C-700, C-750. Detail No. 1: Used with T54T-4625-B2, is merchandised separately because it is basically a



replacement for Detail No. 1 of Tool 4625-D which many dealers already have.

Ford Special Service Tools Catalog


REAR AXLE

PINION PILOT BEARING REMOVER

Part Number T54T-4625-B2
(Used with T54T-4625-B1)

MODEL APPLICATION: 1954-58 T-800 Forward
Rear Axle.


1956-58 F-700, B-700, C-700, C-750.



DRIVE PINION PILOT BEARING AND RETAINING RING REMOVER AND REPLACER

Part Number T57L-4625-A
(Use with T53L-200-A)

MODEL APPLICATION: 1957-58 Ford Cars and
F-100.




PINION BEARING CONE REMOVER (REAR)

Part Number T53T-4629-A

MODEL APPLICATION: 1953-54 F-250, P-350.
1956 F-350 (4.86 to 1 Ratio).

Main Shaft Bearing Remover on 1956 Thunderbird 3-Speed Transmission.

Mainshaft Bearing Remover on 1956 3-Speed Medium Duty Transmission.



DRIVE PINION REAR BEARING CONE REMOVER

Part Number T56T-4630-A (Shown)

MODEL APPLICATION: 1956 F-250, P-350 (4.88 to 1 Ratio).

Part Number T56T-4630-B

MODEL APPLICATION: 1956 F-250, P-350 (5.78 to 1 Ratio).

Part Number T56T-4630-C


MODEL APPLICATION: 1956 F-250, P-350 (4.56 to 1 Ratio). 1957-58 5-Speed Extra Heavy Duty Spicer Transmission. Replace Input Shaft Bearing.

Part Number T56T-4630-D

MODEL APPLICATION: 1956 F-350 (5.14 to 1 Ratio).

Part Number T56T-4630-E

MODEL APPLICATION: 1956 F-350 (5.83 to 1 Ratio).



Part Number T56T-4630-F

MODEL APPLICATION: 1956 500 Series (5.83 to 1 Ratio). 500, 700 and 750 Series (7.17 to 1 Ratio).

Part Number T56T-4630-G

MODEL APPLICATION: 1956 500 and 600 Series (6.20 to 1 and 6.80 to 1 Ratio).


Ford Special Service Tools Catalog

REAR AXLE

COMPANION FLANGE OIL SEAL REPLACER

Part Number T53T-4676-A

MODEL APPLICATION: 1953-54 F-250, P-350
Drive Pinion Oil Seal Replacer.



Part Number T53T-4676-B

MODEL APPLICATION: 1953-58 F-350, F-500,
B-500, C-500, P-500.

Part Number T53T-4676-C

MODEL APPLICATION: 1953-58 F-600, B-600,
C-600.

Part Number T55P-4676-A (Shown)

MODEL APPLICATION: 1955-56 Ford Cars.

Part Number T56T-4676-A

MODEL APPLICATION: 1955-58 F-250 and P-350
(Spicer Rear Axle).

Part Number T57L-4676-A

MODEL APPLICATION: 1957-58 Ford Cars and
F-100.


FLANGE (UNIVERSAL JOINT) AXLE END REMOVER

Part Number T53T-4851-A

MODEL APPLICATION: 1953-58 Cars, F-100
through F-750, C-500, C-600, C-750, B-500
through B-750, P-350, P-500.

The following service part is available for the
above tool:

T53T-4851-A2 Bolt



FLANGE (UNIVERSAL JOINT) AXLE END REPLACER

Part Number T53T-4851-B

MODEL APPLICATION: 1953-55 F-250, F-350,
P-350. 1956-58 F-350.

The following service part is available for the
above tool:

T53T-4851-B2 Collar



Part Number T53T-4851-C

MODEL APPLICATION: 1953-58 F-500, B-500,
C-500, P-500, F-600, B-600, C-600. 1956 F-500,
B-500, C-500, P-500, F-600, B-600, C-600,
(Detail No. 4 to Replace Pinion Pilot Bearing).

The following service part is available for the
above tool:

T53T-4851-C4 Collar

Part Number T56T-4851-B (Shown)


MODEL APPLICATION: 1956-58 F-700, B-700,
C-700, C-750.

Note: Use T53T-4851-B with T56T-4851-A for
additional models. (It is also used in conjunction
with Tool T53T-4261-A for replacing the outer pin-
ion bearing cone on some models.)

FLANGE (UNIVERSAL JOINT) AXLE END HOLDER

Part Number T53T-4851-D

MODEL APPLICATION: 1953-58 100 through 600
Series. All Models.



Part Number T53T-4851-E (Shown)

MODEL APPLICATION: 1953-58 All Ford Trucks.


Ford Special Service Tools Catalog

REAR AXLE

COMPANION FLANGE HOLDER

Part Number T57T-4851-B

MODEL APPLICATION: All Trucks.



FLANGE (UNIVERSAL JOINT) AXLE END REPLACER ADAPTER

Part Number T56T-4851-A

MODEL APPLICATION: 1955-58 F-250 and P-350
(Spicer Axle) (Used with Tool T53T-4851-B).



UNIVERSAL JOINT FLANGE HOLDER

Part Number T57L-4851-A


MODEL APPLICATION: 1957-58 Ford Cars and
F-100.



EQUALIZING BEAM TANDEM SUSPENSION OVERHAUL TOOL KIT

Part Number T54T-5889-A


MODEL APPPLICAION: 1954-58 Tandem Axle
Trucks.



TORQUE ARM BEARING REMOVER AND REPLACER

Part Number T56T-44611-A

MODEL APPLICATION: All Series Tandem Axle
Trucks.



Ford Special Service Tools Catalog

REAR AXLE

COUPLING SHAFT SUPPORT BEARING AND RETAINING RING REMOVER


Part Number T53T-44807-A

MODEL APPLICATION: 1953-56 F-250 through
F-600. All Models.

The following service parts are available for the
above tool:

T53T-44807-A2 Screw


T53T-44807-A4 Connector



COUPLING SHAFT SUPPORT BEARING AND RETAINING RING REPLACER

Part Number T53T-44807-B

MODEL APPLICATION: 1953-56 F-250 through
F-600. All Models.



ENGINE

ENGINE LIFTING SLING

Part Number T53L-300-A


MODEL APPLICATION: Ford 8-Cyl. Engines (Use
with T53L-6000-B, T58P-6000-A, or other
adapters as specified).



ENGINE LIFTING SLING

Part Number T52T-6000-AFD


MODEL APPLICATION: 1952-54 Car and Truck
8-Cyl. Engines.



ENGINE LIFTING HOOKS

Part Number T53L-6000-B

MODEL APPLICATION: 1953-58 8-Cyl. Engines
(Except 332 and extra heavy duty truck
engines). Use with T53L-300-A.



ENGINE LIFTING BRACKET

Part Number T58P-6000-A

MODEL APPLICATION: 332, 352, 8-Cyl. Car
Engines.



Ford Special Service Tools Catalog

ENGINE

ENGINE LIFTING HOOK

Part Number T52L-6000-C

MODEL APPLICATION: 1952-58 Ford Car and
Truck 6-Cyl. Engines.




ENGINE TO REPAIR STAND ENGINE MOUNT

Part Number T52L-6005-LGD

(Keyed Shaft)

Part Number T52L-6005-BGD (Shown)
(Splined Shaft)

MODEL APPLICATION: 1952-53 Ford Car and
Truck 215 6-Cyl. Engines.




ENGINE ASSEMBLY TO REPAIR STAND MOUNT ADAPTER

Part Number T54L-6005-C

(Use with T52T-6005-CJD or T52T-6005-KJD)

MODEL APPLICATION: 1954-58 Ford 223 6-Cyl.
Engines.




ENGINE TO REPAIR STAND MOUNT AND SPINDLE

Part Number T54L-6005-D (Shown)
(Splined Shaft)

Part Number T54L-6005-E
(Keyed Shaft)

MODEL APPLICATION: 1954-58 Ford 239, 256,
272, 292 & 312 8-Cyl. O.H.V. Engines.



ENGINE TO REPAIR STAND ENGINE MOUNT

Part Number T52T-6005-CJD (Shown)
(Splined Shaft)

Part Number T52T-6005-KJD
(Keyed Shaft)

MODEL APPLICATION: 1952-56 Ford Truck 279,
302, 317 & 332 8-Cyl. Engines (and with
T54L-6005-C for 1954-58 Car and Truck 6-Cyl.
Engine).




Ford Special Service Tools Catalog

ENGINE

CYLINDER BLOCK CORE PLUG REPLACER

Part Number T52T-6015-AJD


MODEL APPLICATION: 1952-58 Ford Truck 279, 302, 317, & 332 8-Cyl. Engines, and Extra Heavy Duty Truck Engines. 1958 Ford Car 352 Engines.



FRONT OIL LINE DRIVE PLUG REPLACER

Part Number T52T-6015-GJD

MODEL APPLICATION: 1952-58 Ford Truck 279, 302, 317 & 332 8-Cyl. Engines.



REAR OIL LINE DRIVE PLUG REPLACER

Part Number T52T-6015-HJD


MODEL APPLICATION: 1952-58 Ford Truck 279, 302, 317 & 332 8-Cyl. Engines.



CYLINDER BLOCK AND CYLINDER HEAD CORE PLUG REPLACER ADAPTER

Part Number T54L-6015-A
(Use with T53L-200-A)


MODEL APPLICATION: 1954-56 Car and Truck 239, 256, 272, 292 & 312 8-Cyl. Engines. 1958 Extra Heavy Duty Truck Engines. Tilt Cab Steering. Replace Lower Shaft Seal.



CYLINDER FRONT COVER PILOT

Part Number T58P-6019-A


MODEL APPLICATION: 332 & 352 8-Cyl. Engines.



CRANKSHAFT FRONT COVER OIL SEAL PILOT

Part Number T52L-6059-AAE

MODEL APPLICATION: 1952-57 Ford Car and Truck 8-Cyl. Engines.



Ford Special Service Tools Catalog

ENGINE

VALVE GUIDE REAMER KIT

Part Number T52L-6085-AEE

MODEL APPLICATION: 1952-57 Ford O.H.V. Engines (Also See T56T-6085-A).



Part Number T58P-6085-B (Shown)

MODEL APPLICATION: 1958 332, 352 8-Cyl. Engines.

SODIUM FILLED EXHAUST VALVE GUIDE REAMER KIT

Part Number T56T-6085-A (Shown)


279, 302, 317, 332 and Extra Heavy Duty Truck Engines. Engines Using Sodium Cooled Valves.

MODEL APPLICATION: 1955-58 Ford Truck 272,

CYLINDER HEAD HOLDING FIXTURE

Part Number T52F-6085-AJD

MODEL APPLICATION: 1952-58 Ford Truck 279, 302, 317 & 332 8-Cyl. Engines.



Part Number T52P-6085-DAD

MODEL APPLICATION: 1952-58 Ford 6-Cyl. O.H.V. Engines.

Part Number T54L-6085-A

MODEL APPLICATION: 1954-58 Ford 239, 256, 272, 292 & 312 8-Cyl. Car and Truck Engines.

Part Number T58P-6085-A

MODEL APPLICATION: 332, 352 8-Cyl. Car Engines.


Part Number T58T-6085-C (Shown)

MODEL APPLICATION: 1958 Extra Heavy Duty Truck Engines.

CYLINDER HEAD REAR PLUG REPLACER

Part Number T52T-6085-CJD

MODEL APPLICATION: 1952-58 Ford Truck 279, 302, 317 & 332 8-Cyl. Engines. 1958 Ford Car 332, 352 Engines.



PISTON RING GROOVE CLEANER

Part Number T52L-6110-AAD

MODEL APPLICATION: All 1952-57 Ford Car and Truck Engines.



Ford Special Service Tools Catalog

ENGINE

PISTON PIN REMOVER

Part Number T52P-6135-DAD (Shown)

MODEL APPLICATION: 1952-56 Car and Truck
6-Cyl. Engines.

Also Replaces: Transmission Manual Shift
Lever Seal, 1957-58 Car Except Thunderbird.
Overdrive Manual Control Lever Oil Seal,



1957-58 Thunderbird. Input Shaft Bearing
Retaining Oil Seal, 1957 Car Standard and
Overdrive Transmissions. Heat Indicator Bulb
Manifold Adapter, 1958 Car 332 & 352
Engines.

PISTON PIN REMOVER AND CYLINDER HEAD WATER OUTLET PLUG REPLACER

Part Number T52T-6135-CJD

MODEL APPLICATION: 1952-55 Ford Truck 317
8-Cyl. Engine.

1954 and 1956 Ford 239, 256, 272, 292 & 312
8-Cyl. Engines (Install Outlet Plug).

PISTON RING EXPANDER

Part Number T52L-6149-AED (Shown)

MODEL APPLICATION: 1952-56 Ford Car and
Truck 6-Cyl. Engines.
1952-55 Ford Truck 279 8-Cyl. Engines.



Part Number T52T-6149-AJD


MODEL APPLICATION: 1952-55 Ford Truck 317
8-Cyl. Engine.

CAMSHAFT BEARING REMOVER AND REPLACER ADAPTERS

Part Number T54T-6250-B (Shown)

(Use with Tool T52L-6261-CEE)

MODEL APPLICATION: 1954-58 Car 332 & 352
and Truck 239, 256, 272, 292 & 312 8-Cyl.
Engines.



Part Number T58T-6250-A

MODEL APPLICATION: Beginning 1958 Extra
Heavy Duty Truck Engines.

CAMSHAFT BEARING REMOVER AND REPLACER

Part Number T52L-6261-CEE

(Use with T58T-6250-A, T56T-6250-A &
T54T-6250-B)


MODEL APPLICATION: All Engines 1949-58.



CYLINDER HEAD CORE PLUG, CYLINDER BLOCK CORE PLUG AND CAMSHAFT BEARING BORE PLUG REPLACER

Part Number T52L-6266-BGD

MODEL APPLICATION: 1952-58 Ford Car and
Truck 6-Cyl. Engines. 1954-58 Ford Car and
Truck 239, 256, 272, 292 & 312 8-Cyl. Engine
(Camshaft Bearing Bore Plug).



Ford Special Service Tools Catalog

ENGINE

CAMSHAFT BEARING BORE PLUG REPLACER

Part Number T52T-6266-CJD

MODEL APPLICATION: 1952-58 Truck 279, 302, 317, 332 and Extra Heavy Duty Truck 8-Cyl. Engines.



CAMSHAFT REAR BEARING BORE PLUG REPLACER ADAPTER

Part Number T54L-6266-A
(Use with T53L-200-A)


MODEL APPLICATION: 1954 Ford Car and Truck 239 8-Cyl. Engine. Tilt Cab Steering, Replace Sector Shaft Needle Bearing.



CAMSHAFT BEARING BORE PLUG REPLACER ADAPTER

Part Number T58P-6266-A


MODEL APPLICATION: 332, 352 8-Cyl. Passenger Car Engines.



CRANKSHAFT SPROCKET AND CRANKSHAFT DAMPER REPLACER

Part Number T52L-6306-AEE

MODEL APPLICATION: All 1949-58 Engines and Adapted to T53P-3355-B for Power Steering. The following service part is available for the above tool: T52L-6306-AEE6 Screw Adapter.




CRANKSHAFT SPROCKET REMOVER

Part Number T52T-6306-AJE

MODEL APPLICATION: 1952-55 Truck 279 & 317 8-Cyl. Engines.

Part Number T58T-6306-A (Shown)

MODEL APPLICATION: 1958 Extra Heavy Duty Truck Engines.



Ford Special Service Tools Catalog

ENGINE

CRANKSHAFT DAMPER REMOVER

Part Number T52L-6316-FEE

MODEL APPLICATION: 1952-58 Car and Truck
6-Cyl. Engines.

1952-57 Ford Car and 1952-58 Truck 8-Cyl.
Engines and all previous Ford Engines using
a Damper.



CRANKSHAFT DAMPER REMOVER

Part Number T58P-6316-A

MODEL APPLICATION: 332, 352 8-Cyl. Car
Engines.



CRANKSHAFT REAR BEARING OIL SEAL AND RETAINER ASSEMBLY REPLACER

Part Number T54L-6335-A (Shown)

MODEL APPLICATION: 1954 Ford 239 & 256 Car
and Truck Engine.



REAR MAIN BEARING CAP AND OIL SEAL INSTALLATION PILOT FIXTURE

Part Number T52T-6336-AJD

MODEL APPLICATION: 1952-56 Ford Truck 279, 302, 317 & 332 8-Cyl. Engines.

CRANKSHAFT PULLEY SPACER REMOVER

Part Number T56P-6362-A

MODEL APPLICATION: 1954 & 1958 Ford Engines
with Pressed Steel Crankshaft Pulley and/or
Steel Spacer.



SOLID TAPPET REMOVER

Part Number T52T-6500-DJD

MODEL APPLICATION: 1952-58 Ford Truck 279,
302, 317 & 332 8-Cyl. Engines. 1958 Ford Car
332, 352 and Extra Heavy Duty Truck Engines.



Ford Special Service Tools Catalog

ENGINE


CRANKSHAFT FRONT OIL COVER SEAL REPLACER

Part Number T52L-6700-BEE

MODEL APPLICATION: All 1952-56 Ford Car and Truck O.H.V. Engines.

Part Number T58T-6700-A (Shown)

MODEL APPLICATION: Extra Heavy Duty Truck Engines.



CYLINDER BLOCK FRONT COVER OIL SEAL REPLACER ADAPTER

Part Number T58P-6700-B

MODEL APPLICATION: 332 & 352 8-Cyl. Car Engines.



CRANKSHAFT REAR OIL SEAL FORMING TOOL


Part Number T52L-6701-AGD

MODEL APPLICATION: 1952-57 Ford Car and Truck 6-Cyl. Engines.
1954-57 Ford Car and Truck 239, 256, 272, 292 & 312 8-Cyl. Engines.

Part Number T52T-6701-AJD

MODEL APPLICATION: 1952-58 Ford Truck 279, 302, 317 & 332 8-Cyl. Engines.

Part Number T58P-6701-A (Shown)



Part Number T58T-6701-B


MODEL APPLICATION: 332 & 352 8-Cyl. Ford Car Engines.

MODEL APPLICATION: Extra Heavy Duty Truck Engines.

WATER PUMP OVERHAUL KIT

Part Number T52L-8501-DAD

MODEL APPLICATION: 1952-58 Car and Truck 6 and 8-Cyl. Engine (with Adapters T54L-8512-A, T55L-8512-A, T57P-8512-A, T58P-8501-A or T58T-8509-A).



WATER PUMP BEARING, IMPELLER AND HUB REPLACER ADAPTER

Part Number T58P-8501-A

MODEL APPLICATION: 332 & 352 8-Cyl. Ford Car Engines.




Ford Special Service Tools Catalog

ENGINE

WATER PUMP COVER ASSEMBLY REPAIR KIT

Part Number T58T-8509-A


MODEL APPLICATION: 1958 Extra Heavy Duty Truck Engines.



IMPELLER REPLACING RING

Part Number T54L-8512-A (Shown)

MODEL APPLICATION: 1954 through 1955 Ford 239 Car and Truck and 256 Truck 8-Cyl. Engines. 1957-58 5-Speed Spicer Extra Heavy Duty Transmission, Remove 2nd Speed Gear.



WATER PUMP IMPELLER REPLACER ADAPTER

Part Number T55L-8512-A

MODEL APPLICATION: 1955-58 Ford Car and

Truck 8-Cyl. 272, 292 & 312 Engine Water Pumps.

WATER PUMP IMPELLER REPLACER ADAPTER

Part Number T57L-8512-A


MODEL APPLICATION: 1957-58 6-Cyl. Engines. 1958 8-Cyl. 332 & 352 Engines as specified.



FUEL PUMP REPAIR OVERHAUL TOOL KIT

Part Number T56L-9350-A

MODEL APPLICATION: 1955-58 6-Cyl. and 8-Cyl. 239, 256, 272, 292 & 312 Engines.



FUEL PUMP PUSH ROD RETAINING CLIP REMOVER & REPLACER

Part Number T52T-9400-BJE

MODEL APPLICATION: 1952-58 Ford Truck 279, 302, 317 & 332 8-Cyl. Engines. 1953-57 Power Steering Pump. 1957 C-750, Remove Front Spindle Pin Lower Plug Retainer.




Ford Special Service Tools Catalog

ENGINE

CARBURETOR FLOAT LEVEL GAUGE

Part Number T52L-9510-AHD

MODEL APPLICATION: 1952-55 Ford Car and
Truck 239 & 272 8-Cyl. Engines.




Part Number T56L-9510-A (Shown)

MODEL APPLICATION: 1956 Ford 8-Cyl. 272 &
292 Engines.

CARBURETOR FUEL LEVEL GAUGE

Part Number T52L-9550-AGE


MODEL APPLICATION: 1952-56 Car and Truck
6-Cyl. O.H.V. Engines.



CARBURETOR FUEL LEVEL GAUGE

Part Number T54L-9550-C

MODEL APPLICATION: 1954-57 Ford 8-Cyl. Inter-
ceptor Engine.
1952-57 Truck 279, 302, 317 & 332 Engines.



CARBURETOR FUEL LEVEL GAUGE

Part Number T56L-9562-B


MODEL APPLICATION: 1939-56 Ford 8-Cyl. 221,
239, 272, & 292 Car and Truck Engines.



CARBURETOR POWER VALVE DIAPHRAGM CHECKING FIXTURE

Part Number T49L-9904-A

MODEL APPLICATION: 1949-56 Ford 239, 272 &
292 8-Cyl. Engine Carburetors.



Ford Special Service Tools Catalog

ENGINE

CARBURETOR POWER VALVE AND GASKET TEST FIXTURE



Part Number: T57L-9904-A

MODEL APPLICATION: 1957-58 Ford & Holley 2
& 4 Barrel Carburetors.

CARBURETOR DEPOPPER SPRING ADJUSTMENT TENSION SCALE

Part Number T54T-9976-A

MODEL APPLICATION: 1953-58 Ford 279, 302, 317
& 332 Truck Engines.
1954-56 Ford 256 & 272 Truck Engines.




VOLTAGE LIMITER SETTING THERMOMETER

Part Number T50L-10505-A

MODEL APPLICATION: 1949-55 Standard Voltage
Regulator. 1955 Heavy Duty Ford and Bosch
Voltage Regulators.

Caution: When used with Ford or Bosch heavy duty voltage regulators the correct temperature-voltage curves must be used as appear in the electrical section of the Passenger Car and Truck Shop Manuals.



VOLTAGE REGULATOR SETTING THERMOMETER

Part Number T56L-10505-A

MODEL APPLICATION: 6 and 12-Volt System.

Caution: When used with Ford or Bosch heavy duty voltage regulators the correct temperature-voltage curves must be used as appear in the electrical section of the Passenger Car and Truck Shop Manuals.



INSTRUMENT CLUSTER BEZEL FLARE PRESS

Part Number T58P-10826-A

MODEL APPLICATION: 1958 Car.




Ford Special Service Tools Catalog

ENGINE

DISTRIBUTOR BASE UPPER BUSHING REPLACER

Part Number T57L-12120-A

MODEL APPLICATION: Centrifugal Advance Distributors.



DISTRIBUTOR SHAFT GEAR AND COLLAR RETAINING PIN REMOVER AND REPLACER FIXTURE

Part Number T52L-12131-CAD

MODEL APPLICATION: 1952-58 Ford Cars and Trucks.




DISTRIBUTOR BODY HOLDING FIXTURE

Part Number T52L-12132-CGD (Shown)

MODEL APPLICATION: 1952-57 Ford Car and Truck 6-Cylinder Engines.

Part Number T52T-12132-DJD


MODEL APPLICATION: 1952-57 Ford Truck 256, 279, 292, 302, 317 & 332 8-Cyl. Engines.
1954-57 Car and Truck 239 & 272 8-Cyl. Engines.



DISTRIBUTOR BODY HOLDING CLAMP

Part Number T58L-12132-B


MODEL APPLICATION: Universal.



DISTRIBUTOR GOVERNOR SHAFT OIL SEAL REPLACER

Part Number T52T-12175-AJD

MODEL APPLICATION: 1952-56 Ford Truck 256, 272, 279, 302, 317 & 332 8-Cyl. Engines.



Ford Special Service Tools Catalog

ENGINE


DISTRIBUTOR SHAFT DRIVE GEAR REMOVER KIT

Part Number T52L-12390-CAD

MODEL APPLICATION: 1952-58 Ford Car and Truck 6-Cyl. Engines.

1952-58 Ford Truck 8-Cyl. Engines.

1954-58 Car 8-Cyl. Engines.




DISTRIBUTOR GEAR LOCATING AND INSTALLING FIXTURE

Part Number T52L-12390-DED

MODEL APPLICATION: 1952-58 Ford Car and Truck 6-Cyl. Engines. 1952-58 Ford Truck 8-Cyl. Engines, Except With Centrifugal Advance.

Part Number T57L-12390-A (Shown)

MODEL APPLICATION: Centrifugal Advance Distributor.



TRANSMISSION


TRANSMISSION EXTENSION HOUSING REAR BEARING REMOVER

Part Number T52L-7000-GAE (Shown)

MODEL APPLICATION: 1949-57 Ford 6 and 8-Cyl. Cars, With Machined Spline Output Shaft, Except 1957 Thunderbird.

Part Number T57P-7697-A

MODEL APPLICATION: 1957-58 Ford Cars With Rolled Spline Output Shaft. 1957-58 Thunderbird and 1956-58 Interceptor Engine 3-Speed Transmission.



TRANSMISSION EXTENSION HOUSING REAR BEARING REPLACER

Part Number T52L-7000-HAE (Shown)

MODEL APPLICATION: 1949-57 Ford Cars, With Machined Spline Output Shaft, Except 1957 Thunderbird. With Alteration, 1957 Ford Cars With Rolled Spline Output Shaft, Except 1957 Thunderbird.



Part Number T57P-7697-B

MODEL APPLICATION: 1958 Ford Cars. 1957-58 Thunderbird and Interceptor Engine 3-Speed Transmission.


Ford Special Service Tools Catalog

TRANSMISSION

FORDOMATIC BUSHING REPAIR KIT

Part Number T56L-7003-A


MODEL APPLICATION: 1951-52 Fordomatic.



TRANSMATIC TRANSMISSION BUSHING REPLACER

Part Number T57T-7003-A

MODEL APPLICATION: 1957 Transmatic Transmission.




TRANSMISSION MAIN SHAFT REAR BEARING REMOVER

Part Number T53T-7065-A

MODEL APPLICATION: 1953-57 F-700 through F-900 All Models 5-Speed Transmission. 1957-58 5-Speed (New Process), Remove Input Shaft Bearing. 1957-58 5-Speed (Clark Medium and Heavy Duty), Remove Input and Output Shaft Bearing (With Spacer).

The following service parts are available for the above tool:

T53T-7065-A1 Puller bar
T53T-7065-A2 Screw




T53T-7065-A3 Support rod
T53T-7065-A4 Bearing plate

4-SPEED TRANSMISSION MAIN DRIVE GEAR BEARING AND 5-SPEED TRANSMISSION MAIN DRIVE SHAFT BEARING REPLACER

Part Number T53T-7065-B

MODEL APPLICATION: 1948-56 Ford Trucks with 4-Speed and 5-Speed Transmissions. 1957-58 5-Speed (New Process), Replace Main Shaft Rear and Counter Shaft Front Bearing. 1957-58 5-Speed (Spicer Extra Heavy Duty), Replace Counter Shaft Rear Bearing. 1958 3-Speed Heavy Duty Input Shaft Bearing.



1958 Fuller, 1957-58 Clark Countershaft Bearing.

Ford Special Service Tools Catalog

TRANSMISSION

CLUSTER GEAR ROLLER RETAINER SHAFT

Part Number T55P-7111-A

MODEL APPLICATION: 1955-58 Ford Cars with Standard Transmission.



Part Number T56P-7111-B

MODEL APPLICATION: 1955-58 Ford Cars and F-100 Trucks with Standard Transmission (Borg-Warner).

Part Number T57L-7111-A (Shown)

MODEL APPLICATION: Thunderbird and 3-Speed Medium Duty Truck Transmission and Interceptor Engine.

REVERSE IDLER SHAFT REMOVER

Part Number T50T-7140-B
(Use with T50T-100-A)


MODEL APPLICATION: All 1950-58 Ford Trucks 1957-58 Medium and Heavy Duty (Clark). 1958 Fuller. 1957-58 5-Speed (New Process).



REVERSE IDLER SHAFT PULLER

Part Number T57T-7140-A

MODEL APPLICATION: C-800, F-800, C-900, F-900 with Spicer Extra Heavy Duty 5-Speed Transmission.



DOUBLE DISC CLUTCH PILOT

Part Number T58T-7550-A


MODEL APPLICATION: Trucks with Double Disc Clutch.



TRANSMISSION CLUTCH RELEASE BEARING REPLACER

Part Number T49P-7580-A

MODEL APPLICATION: 1949-58 Ford Cars with Standard Transmission.



Ford Special Service Tools Catalog


TRANSMISSION

TRANSMISSION EXTENSION HOUSING OIL SEAL REPLACER

Part Number T55P-7657-A (Shown)

MODEL APPLICATION: 1955-57 Interceptor Engines with Fordomatic or 3-Speed Standard and Overdrive Transmission.

1957 Thunderbird and 1957-58 3-Speed Medium Duty Truck Transmission.



Part Number T57L-7657-A


MODEL APPLICATION: 1957-58 Car Standard and Fordomatic Transmission Extension Housing.

TRANSMISSION EXTENSION HOUSING REAR OIL SEAL SHIELD SPEED NUT REPLACER

Part Number T51P-7692-AAD

MODEL APPLICATION: 1951-54 Ford Cars and Trucks with Fordomatic Transmission.


1954-55 Heavy Duty Transmission Counter-Shaft Expansion Plug.



WELDED CONVERTER SPRAG DRIVER AND GAUGE POST

Part Number T58L-7902-A


MODEL APPLICATION: 1958 8-Cyl. Engines.



TRANSMISSION CONVERTER, COVER AND RING GEAR ASSEMBLY TURNING WRENCH

Part Number T52L-7950-A


MODEL APPLICATION: 1951-54 Ford Car and Truck Fordomatic Transmissions.



TRANSMISSION INPUT SHAFT OIL SEAL REPLACER

Part Number T57P-77047-A

MODEL APPLICATION: 1958 Ford Cars with Standard and Overdrive Transmissions.




Ford Special Service Tools Catalog

TRANSMISSION

FORDOMATIC THROTTLE LINKAGE ADJUSTMENT GAUGE

Part Number T54L-77230-A


MODEL APPLICATION: 1954 Ford 8-Cyl. Cars
and Trucks.



FORDOMATIC TRANSMISSION PRESSURE GAUGE

Part Number T57L-77820-A

MODEL APPLICATION: Fordomatic and Trans-
matic Transmissions.



FLYWHEEL HOUSING TO FLYWHEEL FACE GAUGE

Part Number T57T-66399-A


MODEL APPLICATION: Transmatic Transmission.



TRANSMISSION THROTTLE CONTROL LEVER PROTRACTOR GAUGE

Part Number T55L-77270-C

MODEL APPLICATION: 1955-56 Cars and Trucks
with Fordomatic Transmission.



POWER STEERING

REMOVE AND REPLACE IDLER ARM BUSHING ADAPTER KIT

Part Number T53P-3355-B


(Use with T52L-6306-AEE)

MODEL APPLICATION: Ford Cars Equipped with
Power Steering.

The following service parts are available for the
above tool:

T53P-3355-B1 Driver
T53P-3355-B2 Collar

T53P-3355-B3 Spacer
T53P-3355-B4 Spacer



Ford Special Service Tools Catalog

POWER STEERING

POWER STEERING PUMP PRESSURE GAUGE

Part Number T53P-33610-B

MODEL APPLICATION: Ford Cars Equipped with Power Steering Beginning with 1953 Models.

The following service parts are available for the above tool:

T53P-33610-B1 Pressure gauge


T53P-33610-B3 Needle valve

T53P-33610-B4 Hose ass'y, 40"

T53P-33610-B5 Hose ass'y, 30"

Part Number T56L-33610-D (Shown)

MODEL APPLICATION: Ford Vehicles with Power Steering.



The following service parts are available for the above tool:

T56L-33610-D7 Adapter

T56L-33610-D8 Adapter


POWER STEERING PUMP ROTOR SHAFT OIL SEAL REPLACER ADAPTER

Part Number T53P-33623-A

(Use with T53L-200-A)

MODEL APPLICATION: Ford Cars and Trucks Equipped with Power Steering.

1954-57 Car and Truck 239, 256, 272, & 292
8-Cyl. Engines (to Install the Cylinder Head Water Outlet Plug).



MISCELLANEOUS

IMPACT HAMMER

Part Number T50T-100-A

MODEL APPLICATION: Universal (Slide Hammer Attachments).




PULLER ATTACHMENT

Part Number T58L-101-A

(Use with T50T-100-A)

MODEL APPPLICATION: Remove Sector Shaft Oil Seal and Worm Gear Bearing Cups (Recirculating Ball Steering). 1957-58 Transmatic Transmission Bushings.



Ford Special Service Tools Catalog

MISCELLANEOUS

HANDLE ADAPTER

Part Number T53L-200-A

MODEL APPLICATION: Tools No. T56P-3576-B, T55P-4616-A, T57L-4625-A, T54L-6015-A, T54L-6266-A, T53P-33623-A, T58P-6266-A, T58P-6700-B and Future Replacer-Type Tools, Wherever Practicable.




PULLER

Part Number T56L-400-A

MODEL APPLICATION: Universal Application (Reversible Jaws). 1956 Thunderbird Crank-shaft Pulley. 1956-58 Differential Bearing.

The following service part is available for the above tool:

T56L-400-A6 Jaw



BENCH MOUNTED HOLDING FIXTURE

Part Number T57L-500-A


MODEL APPLICATION: Rear Axle & Transmissions.



DRIVER

Part Number T57L-600-A


MODEL APPLICATION: 1957-58 Transmatic, Replace Output Shaft Bearing and Flange Seal. 1957-58 5-Speed Spicer Extra Heavy Duty Transmission, Replace Input and Output Shaft Bearing. Detail Number 3: B-500, F-500, P-500, C-550, B-600, C-600, F-600, Replace Front Hub Grease Seal.



HOOD HINGE CLOCK SPRING REPLACER

Part Number T52L-16800-AAD

MODEL APPLICATION: All 1953-56 Ford Trucks
All 1952-54 Ford Cars.




Ford Special Service Tools Catalog

MISCELLANEOUS

SHOCK ABSORBER BUSHING ASSEMBLY REMOVER AND REPLACER

Part Number T57P-18201-A


MODEL APPLICATION: 1957-58 Cars except
Thunderbird.



SHOCK ABSORBER REINFORCEMENT LOCATING GAUGE

Part Number T57S-18178-B

MODEL APPLICATION: 1957-58 Cars without Air
Suspension.



RADIO ANTENNA TOP NUT NUT WRENCH

Part Number T52P-18918-AAD


MODEL APPLICATION: 1952-56 Ford Car and
Truck Radio Antennas.



FRONT BEARING HOUSING COVER AND SEAL ASSEMBLY REMOVER AND REPLACER

Part Number T56P-19670-A


MODEL APPLICATION: "SelectAire Conditioner"
Compressor Unit.



FUEL TANK SENDING UNIT RETAINING RING WRENCH

Part Number T57L-99275-A

MODEL APPLICATION: 1957-58 Ford Cars and
Trucks.



Ford Special Service Tools Catalog

MISCELLANEOUS

SUPERCHARGER AIR PRESSURE GAUGE

Part Number T58P-66500-A


MODEL APPLICATION: Cars with Supercharger.



IMPELLER REMOVER

Part Number T58P-66596-A

MODEL APPLICATION: Cars with Supercharger.



CARRIER AND SCROLL CUP REPLACER

Part Number T58P-66655-A


MODEL APPLICATION: Cars with Supercharger.



DECK POSITION "B" SWITCH ADJUSTING GAUGE

Part Number T57P-15780-A


MODEL APPLICATION: Retractable Hard Top.



LOCKNUT WRENCH

Part Number T57P-53510-A

MODEL APPLICATION: Retractable Hard Top.



Ford Special Service Tools Catalog

NUMERICAL INDEX

PART NUMBER	DESCRIPTION	PRICE	PAGE No.
T50T-100-A	Impact Hammer	12.00	32
T58L-101-A	Puller Attachment	8.20	32
T53L-200-A	Handle Adapter	2.40	33
T53L-300A	Engine Lifting Sling	9.00	15
T56L-400-A	Puller	10.50	33
T57L-500-A	Bench Mounted Holding Fixture	30.60	33
T57L-600-A	Driver	14.95	33
T53T-1175-A	Rear Wheel Grease Retainer Replacer	6.92	5
T53T-1175-B	Rear Wheel Grease Retainer Replacer	5.56	5
T53T-1175-D	Rear Wheel Grease Retainer Replacer	4.94	5
T53T-1175-E	Rear Wheel Grease Retainer Replacer	6.00	5
T54T-1175-E	Rear Wheel Grease Retainer Replacer	6.70	6
T53T-1190-A	Front Wheel Grease Retainer Replacer	5.70	1
T53T-1190-B	Front Wheel Grease Retainer Replacer	5.40	1
T56P-1217-A	Front Hub Bearing Cup and Grease Seal Replacer	3.00	1
T53T-1239-A	Hub Bearing Cup Replacer Kit (Inner and Outer)	35.05	1
	Also Details 15, 16, 17, and 18	21.00	1
T53T-1239-A19	Rear Hub Inner Bearing Cup Replacer	4.00	1
T53T-1243-A	Rear Wheel Hub Bearing Cup Replacer (Inner)	5.80	6
T52L-2275-AAD	Parking Brake Cable Retainer To Rear Backing Plate Replacer	3.15	6
T54P-3006-B	Spindle Ball Joint Assembly Remover Press	1.25	2
T57P-3006-A	Spindle Ball Joint Assembly Remover Press	4.65	2
T54P-3044-A	Front Suspension Upper and Lower Arm Overhaul Tool Kit	12.15	2
T54P-3044-A13	Front Suspension Upper and Lower Arm Overhaul Tool Kit	1.20	2
T54P-3044-A5	Remover	0.85	2
T54P-3044-A6	Support	3.20	2
T54P-3044-A7	Adapter	1.15	2
T54P-3044-A8	Adapter	1.15	2
T54P-3044-A9	Adapter	1.15	2
T54P-3044-A10	Remover	6.50	2
T54P-3044-A12	Support Ring		2
T54P-3044-A13	Remover	1.20	2
T57P-3044-A	Front Suspension Lower Arm Support	2.85	2
T58P-3047-A	Torque Wrench Adapter	3.00	3
T53T-3110-A	Front Spindle Bushing Remover and Replacer	2.50	3
T53T-3110-A2	Pilot Bushing	0.95	3
T53T-3110-B	Front Spindle Bushing Remover and Replacer	2.50	3
T53T-3110-B2	Pilot Bushing	0.95	3
T53T-3110-C	Front Spindle Bushing Remover and Replacer	5.00	3
T53T-3110-C2	Pilot Bushing	0.95	3
T53T-3110-C3	Driving Cap	0.50	3
T53T-3110-D	Front Wheel Spindle Bushing Reamer	10.72	3
T53T-3110-E	Front Wheel Spindle Bushing Reamer	11.72	3
T53T-3110-F	Front Wheel Spindle Bushing Reamer	14.28	3
T53T-3110-G	Front Spindle Bolt and Bushing Remover and Replacer	13.75	4
T53T-3110-H	Front Wheel Spindle Bushing Reamer	21.25	3
T56T-3110-J	Front Spindle Bushing Remover and Replacer Adapter	13.00	4
T56T-3110-K	Front Wheel Spindle Bushing Reamer	35.00	3
T58L-3548-A	Sector Shaft Bushing and Worm Gear Bearing Cup Replacer	4.20	4
T53P-3355-B	Remove and Replace Idler Arm Bushing Adapter Kit	4.70	31
T53P-3355-B1	Driver	0.75	31
T53P-3355-B2	Collar	0.50	31
T53P-3355-B3	Spacer	2.15	31
T53P-3355-B4	Spacer	2.50	31
T52L-3552-CAD	Steering Gear Lower Worm Bearing Cup Replacer	4.20	4
T52P-3552-FAD	Steering Gear Lower Worm Bearing Cup Remover	11.85	4
T52L-3576-AAD	Steering Gear Sector Shaft Bearing Replacer	4.75	4
T52L-3576-BAD	Steering Gear Sector Shaft Bearing Remover	8.55	5
T56P-3576-A	Steering Gear Housing Bearing and Oil Seal Remover	14.95	5
T56P-3576-B	Steering Gear Housing Bearing and Oil Seal Replacer	3.50	5

Ford Special Service Tools Catalog

NUMERICAL INDEX

PART NUMBER	DESCRIPTION	PRICE	PAGE No.
T57T-3576-A	Sector Shaft Bushing Remover and Replacer	12.04	5
T58L-3576-A	Steering Gear Housing Bearing and Oil Seal Remover	9.90	5
T56T-4020-A	Pinion Depth Gauge	40.00	6
T57L-4067-A	Differential Bearing Adjuster Wrench	2.80	6
T57L-4220-A	Differential Bearing Assembly Remover	6.95	7
T53T-4221-A	Differential Side Bearing Cone Replacer	0.50	7
T53T-4221-B	Differential Side Bearing Cone Replacer	2.02	7
T53T-4221-C	Differential Side Bearing Cone Replacer	1.18	7
T56T-4221-A	Differential Side Bearing Cone Replacer	2.00	7
T57L-4221-A	Differential Bearing Cone Replacer	3.53	7
T53T-4222-A	Differential Side Bearing Cup Remover	5.00	7
T53T-4222-A4&5	Fingers	1.85	7
T53T-4222-A6	Pin	0.25	7
T53T-4222-A7	Bar	3.15	7
T53T-4222-A9	Sleeve	1.50	7
T53T-4242-A	Differential Side Bearing Cup (R.H.) and Hub Outer Bearing Cup Replacer	2.00	8
T53T-4242-B	Differential Side Bearing Cup Replacer (L.H.)	2.00	8
T53T-4242-E	Differential Side Bearing Cone Replacer	0.50	7
T53T-4242-F	Differential and Pinion Bearing Cone Remover Kit	19.95	7
T53T-4242-F1	Jack Screw	1.50	8
T53T-4242-F2	Short Bolt	0.83	8
T53T-4242-F3	Crossbar	1.50	8
T53T-4242-F5	Cam	0.75	8
T53T-4242-F6	Horseshoe	5.88	8
T53T-4242-F7	Adapter	0.90	8
T53T-4242-F8	Long Bolt	0.95	8
T53T-4242-F9	Horseshoe	5.88	8
T53T-4242-F10	Adapter	0.90	8
T53T-4242-F11	Horseshoe	5.88	8
T56T-4242-A	Differential Side Bearing Cone Replacer	3.00	7
T56T-4242-B	Differential Side Bearing Cone Replacer	3.00	7
T53T-4261-A	Pinion Bearing Cone Replacer Adapter (Outer)	0.50	8
T56P-4610-A	Pinion Depth Gauge Adapter Rings	3.50	9
T57L-4614-A	Drive Pinion and Drive Pinion Retainer Assembly Support	13.40	9
T53T-4616-A	Pinion Bearing Cup Replacer (Inner and Outer)	2.00	9
T53T-4616-A3	Replacer	5.50	9
T53T-4616-A4	Spacer	1.65	9
T53T-4616-B	Pinion Bearing Cup Replacer (Inner and Outer)	2.00	9
T53T-4616-C	Pinion Bearing Cup Replacer (Inner and Outer)	1.00	9
T53T-4616-D	Pinion Bearing Cup Replacer (Inner and Outer)	0.50	9
T53T-4616-E	Pinion Bearing Cup Remover (Inner and Outer)	0.75	9
T55P-4616-A	Drive Pinion Bearing Cup Remover and Replacer	2.50	10
T55P-4616-A4	Pinion Bearing Outer Cup Remover Adapter	2.00	10
T56T-4616-A	Drive Pinion Bearing Cup Replacer Adapters	3.50	10
T56T-4616-B	Drive Pinion Bearing Cup Remover and Replacer	8.00	10
T57L-4616-A	Drive Pinion Bearing Cup Remover and Replacer	3.50	10
T53T-4621-A	Pinion Bearing Cup Remover (Outer)	2.00	10
T53T-4621-A1	Support Bar	2.00	10
T53T-4621-B	Pinion Bearing Cone Replacer (Front and Rear)	5.70	11
T53T-4621-C	Pinion Bearing Cone Replacer	5.70	11
T57L-4621-A	Drive Pinion Rear Bearing Cone Remover	8.10	11
T57L-4621-B	Pinion Bearing Cone Replacer	3.08	11
T53T-4625-A	Pinion Pilot Bearing Remover	3.56	11
T54T-4625-B1	Pinion Pilot Bearing Remover	10.00	11
T54T-4625-B2	Pinion Pilot Bearing Remover	4.30	12
T57L-4625-A	Drive Pinion Pilot Bearing and Retaining Ring Remover and Replacer	1.50	12
T53T-4629-A	Pinion Bearing Cone Remover (Rear)	2.76	12
T56T-4630-A	Drive Pinion Rear Bearing Cone Remover	7.00	12
T56T-4630-B	Drive Pinion Rear Bearing Cone Remover	7.00	12
T56T-4630-C	Drive Pinion Rear Bearing Cone Remover	7.00	12

Ford Special Service Tools Catalog

NUMERICAL INDEX

PART NUMBER	DESCRIPTION	PRICE	PAGE No.
T56T-4630-D	Drive Pinion Rear Bearing Cone Remover	7.00	12
T56T-4630-E	Drive Pinion Rear Bearing Cone Remover	7.00	12
T56T-4630-F	Drive Pinion Rear Bearing Cone Remover	7.00	12
T56T-4630-G	Drive Pinion Rear Bearing Cone Remover	7.00	12
T53T-4676-A	Companion Flange Oil Seal Replacer	3.86	13
T53T-4676-B	Drive Pinion Oil Seal Replacer	1.00	13
T53T-4676-C	Drive Pinion Oil Seal Replacer	1.00	13
T55P-4676-A	Drive Pinion Oil Seal Replacer	3.50	13
T56T-4676-A	Drive Pinion Grease Seal Replacer	4.25	13
T57L-4676-A	Drive Pinion Oil Seal Replacer	4.90	13
T53T-4851-A	Flange (Universal Joint) Axle End Remover	12.42	13
T53T-4851-A2	Bolt	3.65	13
T53T-4851-B	Flange (Universal Joint) Axle End Replacer	1.60	13
T53T-4851-B2	Collar	2.40	13
T53T-4851-C	Flange (Universal Joint) Axle End Replacer	1.75	13
T53T-4851-C4	Collar	3.25	13
T53T-4851-D	Flange (Universal Joint) Axle End Holder	5.00	13
T53T-4851-E	Flange (Universal Joint) Axle End Holder	14.95	13
T56T-4851-A	Flange (Universal Joint) Axle End Replacer Adapter	1.50	14
T56T-4851-B	Flange (Universal Joint) Axle End Replacer	5.00	13
T57L-4851-A	Universal Joint Flange Holder	7.45	14
T57T-4851-B	Companion Flange Holder	22.90	14
T54T-5889-A	Equalizing Beam Tandem Suspension Overhaul Tool Kit	16.25	14
T52L-6000-C	Engine Lifting Hook	7.50	16
T52T-6000-AFD	Engine Lifting Sling	21.50	15
T53L-6000-B	Engine Lifting Hooks	3.50	15
T58P-6000-A	Engine Lifting Bracket	2.65	15
T52L-6005-BGD	Engine To Repair Stand Engine Mount (Splined Shaft)	10.00	16
T52T-6005-CJD	Engine To Repair Stand Engine Mount (Splined Shaft)	32.50	16
T52T-6005-KJD	Engine To Repair Stand Engine Mount (Keyed Shaft)	30.00	16
T52L-6005-LGD	Engine To Repair Stand Engine Mount (Keyed Shaft)	32.50	16
T54L-6005-C	Engine Assembly To Repair Stand Mount Adapter	6.75	16
T54L-6005-D	Engine To Repair Stand Mount and Spindle (Splined Shaft)	32.00	16
T54L-6005-E	Engine To Repair Stand Mount and Spindle (Keyed Shaft)	28.00	16
T52T-6015-AJD	Cylinder Block Core Plug Replacer	3.65	17
T52T-6015-GJD	Front Oil Line Drive Plug Replacer	2.65	17
T52T-6015-HJD	Rear Oil Line Drive Plug Replacer	1.50	17
T54L-6015-A	Cylinder Block and Cylinder Head Core Plug Replacer Adapter	0.70	17
T58P-6019-A	Cylinder Front Cover Pilot	5.00	17
T52L-6059-AAE	Crankshaft Front Cover Oil Seal Pilot	4.15	17
T52F-6085-AJD	Cylinder Head Holding Fixture	9.90	18
T52L-6085-AEE	Valve Guide Reamer Kit	10.80	18
T52P-6085-DAD	Cylinder Head Holding Fixture	12.00	18
T52T-6085-CJD	Cylinder Head Rear Plug Replacer	3.40	18
T54L-6085-A	Cylinder Head Holding Fixture	12.55	18
T56T-6085-A	Sodium Filled Exhaust Valve Guide Reamer Kit	21.00	18
T58P-6085-A	Cylinder Head Holding Fixture	15.10	18
T58P-6085-B	Valve Guide Reamer Kit	22.20	18
T58T-6085-C	Cylinder Head Holding Fixture	30.20	18
T52L-6110-AAD	Piston Ring Groove Cleaner	4.95	18
T52P-6135-DAD	Piston Pin Remover	1.65	19
T52T-6135-CJD	Piston Pin Remover and Cylinder Head Water Outlet Plug Replacer	1.60	19
T52L-6149-AED	Piston Ring Expander	3.15	19
T52T-6149-AJD	Piston Ring Expander	1.95	19
T54T-6250-B	Camshaft Bearing Remover and Replacer Adapters	3.65	19
T56T-6250-A	Front Camshaft Bearing Remover and Replacer Adapter	2.00	19
T58T-6250-A	Camshaft Bearing Remover and Replacer Adapter	4.15	19
T52L-6261-CEE	Camshaft Bearing Remover and Replacer	27.75	19
T52L-6266-BGD	Cylinder Head Core Plug, Cylinder Block Core Plug and Camshaft Bearing Bore Plug Replacer	3.95	19

Ford Special Service Tools Catalog

NUMERICAL INDEX

PART NUMBER	DESCRIPTION	PRICE	PAGE No.
T52T-6266-CJD	Camshaft Bearing Bore Plug Replacer	4.20	20
T54L-6266-A	Camshaft Rear Bearing Bore Plug Replacer Adapter	1.95	20
T58P-6266-A	Camshaft Bearing Bore Plug Replacer Adapter	2.25	20
T52L-6306-AEE	Crankshaft Sprocket and Crankshaft Damper Replacer	13.25	20
T52L-6306-AEE6	Screw Adapter	3.60	20
T52T-6306-AJE	Crankshaft Sprocket Remover	13.20	20
T58T-6306-A	Crankshaft Gear Remover	11.75	20
T52L-6316-FEE	Crankshaft Damper Remover	9.20	21
T58P-6316-A	Crankshaft Damper Remover	5.80	21
T54L-6335-A	Crankshaft Rear Bearing Oil Seal and Retainer Assembly Replacer	1.50	21
T52T-6336-AJD	Rear Main Bearing Cap and Oil Seal Installation Pilot Fixture	6.60	21
T56P-6362-A	Crankshaft Pulley Spacer Remover	4.00	21
T52T-6500-DJD	Solid Tappet Remover	3.30	21
T52L-6700-BEE	Crankshaft Front Cover Oil Seal Replacer	4.80	22
T58T-6700-A	Crankshaft Front Cover Oil Seal Replacer	3.35	22
T58P-6700-B	Cylinder Block Front Cover Oil Seal Replacer Adapter	1.95	22
T52L-6701-AGD	Crankshaft Rear Oil Seal Forming Tool	8.75	22
T52T-6701-AJD	Crankshaft Rear Oil Seal Forming Tool	8.75	22
T58P-6701-A	Crankshaft Rear Bearing Seal Replacer	3.50	22
T58T-6701-B	Crankshaft Rear Bearing Seal Replacer	6.45	22
T52L-7000-GAE	Transmission Extension Housing Rear Bearing Remover	8.50	27
T52L-7000-HAE	Transmission Extension Housing Rear Bearing Replacer	6.35	27
T56L-7003-A	Fordomatic Bushing Repair Kit	120.00	28
T57T-7003-A	Transmatic Transmission Bushing Replacer	8.65	28
T53T-7065-A	Transmission Main Shaft Rear Bearing Remover	12.64	28
T53T-7065-A1	Puller Bar	3.75	28
T53T-7065-A2	Screw	3.75	28
T53T-7065-A3	Support Rod	2.50	28
T53T-7065-A4	Bearing Plate	7.50	28
T53T-7065-B	4-Speed Transmission Main Drive Gear Bearing and 5-Speed Transmission Main Drive Shaft Bearing Replacer	6.90	28
T55P-7111-A	Cluster Gear Roller Retainer Shaft	1.10	29
T56P-7111-B	Cluster Gear Roller Retainer Shaft	0.90	29
T57L-7111-A	Cluster Gear Roller Retainer Shaft	1.70	29
T50T-7140-B	Reverse Idler Shaft Remover	15.00	29
T57T-7140-A	Reverse Idler Shaft Puller	7.30	29
T58T-7550-A	Double Disc Clutch Pilot	6.90	29
T49P-7580-A	Transmission Clutch Release Bearing Replacer	5.25	29
T55P-7657-A	Transmission Extension Housing Oil Seal Replacer	5.70	30
T57L-7657-A	Oil Seal Assembly Replacer	5.00	30
T51P-7692-AAD	Transmission Extension Housing Rear Oil Seal Speed Nut Replacer	6.55	30
T57P-7697-A	Transmission Extension Housing Bushing Remover	9.85	27
T57P-7697-B	Transmission Extension Housing Bushing Replacer	9.75	27
T58L-7902-A	Welded Converter Sprag Driver and Gauge Post	12.00	30
T52L-7950-A	Transmission Converter, Cover and Ring Gear Assembly Turning Wrench	4.75	30
T52L-8501-DAD	Water Pump Overhaul Kit	24.00	22
T58P-8501-A	Water Pump Bearing, Impeller and Hub Replacer Adapter	2.25	22
T58T-8509-A	Water Pump Cover Assembly Repair Kit	9.45	23
T54L-8512-A	Impeller Replacing Ring	2.00	23
T55L-8512-A	Water Pump Impeller Replacer Adapter	3.10	23
T57L-8512-A	Water Pump Impeller Replacer Adapter	10.60	23
T56L-9350-A	Fuel Pump Repair Overhaul Tool Kit	6.00	23
T52T-9400-BJE	Fuel Pump Push Rod Retaining Clip Remover and Replacer	2.90	23
T52L-9510-AHD	Carburetor Float Level Gauge	2.45	24
T56L-9510-A	Carburetor Float Level Gauge	2.00	24
T52L-9550-AGE	Carburetor Fuel Level Gauge	5.15	24
T54L-9550-C	Carburetor Fuel Level Gauge	1.75	24
T56L-9562-B	Carburetor Fuel Level Gauge	3.00	24
T49L-9904-A	Carburetor Power Valve Diaphragm Checking Fixture	9.00	24
T57L-9904-A	Carburetor Power Valve and Gasket Test Fixture	9.85	25

Ford Special Service Tools Catalog

NUMERICAL INDEX

PART NUMBER	DESCRIPTION	PRICE	PAGE No.
T54T-9976-A	Carburetor Depopper Spring Adjustment Tension Scale	12.50	25
T50L-10505-A	Voltage Limiter Setting Thermometer	6.10	25
T56L-10505-A	Voltage Regulator Setting Thermometer	2.75	25
T58P-10826-A	Instrument Cluster Bezel Flare Press	3.50	25
T57L-12120-A	Distributor Base Upper Bushing Replacer	1.20	26
T52L-12131-CAD	Distributor Shaft Gear and Collar Retaining Pin Remover and Replacer Fixture	5.35	26
T52L-12132-CGD	Distributor Body Holding Fixture	5.85	26
T52T-12132-DJD	Distributor Body Holding Fixture	5.85	26
T58L-12132-B	Distributor Body Holding Clamp	4.00	26
T52T-12175-AJD	Distributor Governor Shaft Oil Seal Replacer	1.75	26
T52L-12390-CAD	Distributor Shaft Drive Gear Remover Kit	8.50	27
T52L-12390-DED	Distributor Gear Locating and Installing Fixture	6.50	27
T57L-12390-A	Tach Gear and Driven Gear Locating and Installing Fixture	6.50	27
T57P-15780-A	Deck Position "B" Switch Adjusting Gauge	5.50	35
T52L-16800-AAD	Hood Hinge Clock Spring Replacer	2.90	33
T57S-18178-B	Shock Absorber Reinforcement Locating Gauge	6.50	34
T57P-18201-A	Shock Absorber Bushing Assembly Remover and Replacer	9.90	34
T52P-18918-AAD	Radio Antenna Top Nut Wrench	3.10	34
T56P-19670-A	Front Bearing Housing Cover and Seal Assembly Remover and Replacer	7.00	34
T53P-33610-B	Power Steering Pump Pressure Gauge	16.30	32
T53P-33610-B1	Pressure Gauge	4.00	32
T53P-33610-B3	Needle Valve	6.85	32
T53P-33610-B4	Hose Assembly, 40"	4.35	32
T53P-33610-B5	Hose Assembly, 30"	3.45	32
T56L-33610-D	Power Steering Pump Pressure Gauge	18.85	32
T56L-33610-D7 T56L-33610-D8}	Adapter	2.55	32
T53P-33623-A	Power Steering Pump Rotor Shaft Oil Seal Replacer Adapter	1.40	32
T56T-44611-A	Torque Arm Bearing Remover and Replacer	3.69	14
T53T-44807-A	Coupling Shaft Support Bearing and Retaining Ring Remover	11.36	15
T53T-44807-A2	Screw	3.75	15
T53T-44807-A4	Connector	3.75	15
T53T-44807-B	Coupling Shaft Support Bearing and Retaining Ring Replacer	2.32	15
T57P-53570-A	Locknut Wrench	1.67	35
T58P-66500-A	Supercharger Air Pressure Gauge	5.05	35
T58P-66596-A	Impeller Remover	2.65	35
T58P-66655-A	Carrier and Scroll Cup Replacer	4.80	35
T57T-66399-A	Flywheel Housing to Flywheel Face Gauge	4.10	31
T57P-77047-A	Transmission Input Shaft Oil Seal Replacer	1.20	30
T54L-77230-A	Fordomatic Throttle Linkage Adjustment Gauge	3.25	31
T55L-77270-C	Transmission Throttle Control Lever Protractor Gauge	9.60	31
T57L-77820-A	Automatic Transmission 400 Pound Pressure Gauge	11.35	31
T57L-99275-A	Fuel Tank Level Sending Unit Retaining Ring Wrench	2.60	34

Ford Special Service Tools Catalog

NOTES

Ford Special Service Tools Catalog

NOTES

